



## Evaporative Air Coolers

# Our Air Coolers Are Popular Globally



# Our Factory



Dace Aircoolers is located in Zhongshan , China. We are specializes in manufacturing air coolers for more than 10 years. As one of the leading manufacturers and exporters in this Industry.


Our products are exported to more than 30 countries and regions including , Middle East, South Asia , Europe , Central & South America, Africa & South –East Asia.

In these last 10 years in business, we have developed a strong relationship with our customers based on mutual benefit. We focus highly on quality and offer a trouble free products to our customers, by keeping in a very strict quality control on incoming material and production processes, offering at the same time competitive pricing. Our products are CCC, CE, CB, SAA, NOM, Rohs, SASO certified.


We from our own mould/tool making facility in our factory are able to provide customer design models in the shortest time possible. Our models are all based on our own strict quality of precision tool making and a full scale in-house plastic injection and assembly.

We would invite you to pay a visit to our factory so that we could learn more about each other and establish strong business relationship together.


# Benefits




Works On  
Inverter Power



Deliver Fresh&  
Filted Cool Air



Suitable for Indoor&  
Outdoor



Runs On Operating  
Cost of A Fan

# Features



Intelligent Remote  
Full-function remote with timer



Large Water tank Capacity  
Gives uninterrupted cooling



Empty Water-tank Alarm  
Provides consumer convenience



Whisper-quiet Performance  
For a good sleeping



Feather-touch Digital  
Control Panel  
For easy operation



High Efficiency Cooling Pads  
For enhanced cooling



Powerful Air Throw with  
Auto-swing  
For faster cooling





# Personal Air Cooler



Model Name.: **PICO**  
Air speed: 2.5m/s  
Water tank capacity : 600ml  
Noise test:  $\leq 75$ dB  
Voltage: DC 5V  
Cooling power: 6W With USB Power cord  
7 Led light color options



Model Name: **NANO**  
Air speed: 2.5m/s  
Water tank capacity : 750ml  
Noise test:  $\leq 75$ dB  
Voltage: DC 5V  
Cooling power: 2.5W With USB Power cord  
7 Led light color options



Model Name: **VENTO**  
Air speed: 2.5m/s  
Water tank capacity : 550ml  
Noise test:  $\leq 65$ dB  
Voltage: DC 5V  
Cooling power: 7W With USB Power cord  
6 Led light color options



# Personal Air Cooler



Model Name: **ELEGANTE**  
Power: 115/100/90W  
Water tank capacity : 11L  
Noise test:  $\leq 70\text{dB}$   
Max airflow:  $1200\text{m}^3/\text{h}$   
Fan speed: 1180/1020/850 RPM  
Effecttive area:  $30\text{m}^2$

Model Name: **ZESTO**  
Power: 55/45/40W  
Water tank capacity : 12L  
Noise test:  $\leq 65\text{dB}$   
Max airflow:  $300\text{m}^3/\text{h}$   
Fan speed: 1250/1050/850 RPM  
Effecttive area:  $12\text{m}^2$



Model Name: **ZIPPY**  
Power: 55/45/40W  
Water tank capacity : 12L  
Noise test:  $\leq 65\text{dB}$   
Max airflow:  $300\text{m}^3/\text{h}$   
Fan speed: 1250/1050/850 RPM  
Effecttive area:  $12\text{m}^2$

Model Name: **ASTRA**  
Power: 132/113/96W  
Water tank capacity : 11L  
Noise test:  $\leq 72\text{dB}$   
Max airflow:  $600\text{m}^3/\text{h}$   
Fan speed: 1222/1084/938 RPM  
Effecttive area:  $30\text{m}^2$



Model Name: **MODA**  
Power: 68/52/44W  
Water tank capacity : 6L  
Noise test:  $\leq 66\text{dB}$   
Max airflow:  $700\text{m}^3/\text{h}$   
Fan speed: 1381/1100/865 RPM  
Effecttive area:  $30\text{m}^2$

Model Name: **PERNO**  
Power: 115/100/90W  
Water tank capacity : 11L  
Noise test:  $\leq 70\text{dB}$   
Max airflow:  $1200\text{m}^3/\text{h}$   
Fan speed: 1180/1020/850 RPM  
Effecttive area:  $30\text{m}^2$







# Personal Air Cooler

Model Name: **NEGRO**  
 Power: 50/40/35W  
 Water tank capacity : 7L  
 Noise test:  $\leq 60\text{dB}$   
 Max airflow:  $700\text{m}^3/\text{h}$   
 Fan speed: 1300/1150/1000 RPM  
 Effecttive area:  $12\text{m}^2$



Model Name: **BLANCO**  
 Power: 50/40/35W  
 Water tank capacity : 7L  
 Noise test:  $\leq 60\text{dB}$   
 Max airflow:  $700\text{m}^3/\text{h}$   
 Fan speed: 1300/1150/1000 RPM  
 Effecttive area:  $12\text{m}^2$



Model Name: **BRISA/BRISA+**  
 Power: 90W  
 Water tank capacity : 8L/20L  
 Noise test:  $\leq 66\text{dB}$   
 Max airflow:  $800\text{m}^3/\text{h}$   
 Fan speed: Low/Medium/High  
 Effecttive area:  $15\text{m}^2$



Model Name: **TRIO/TRIO+**  
 Power: 90W  
 Water tank capacity : 18L/30L  
 Noise test:  $\leq 66\text{dB}$   
 Max airflow:  $980\text{m}^3/\text{h}$   
 Fan speed: Low/Medium/High  
 Effecttive area:  $25\text{m}^2$





Model No.: **FUERTE**  
 Power: 180/155/140W  
 Water tank capacity : 48L  
 Noise test:  $\leq 65\text{dB}$   
 Max airflow:  $2600\text{m}^3/\text{h}$   
 Fan speed: 1350/1250/1150 RPM  
 Effective area:  $80\text{m}^2$



Model No.: **COLINA**  
 Power: 172/146/131W  
 Water tank capacity : 48L  
 Noise test:  $\leq 65\text{dB}$   
 Max airflow:  $2600\text{m}^3/\text{h}$   
 Fan speed: 1290/1210/1133 RPM  
 Effective area:  $80\text{m}^2$



Model No.: **AURA**  
 Power: 130/100/90W  
 Water tank capacity : 38L  
 Noise test:  $\leq 55\text{dB}$   
 Max airflow:  $1800\text{m}^3/\text{h}$   
 Fan speed: 1350/1250/1150 RPM  
 Effective area:  $55\text{m}^2$



Model No.: **ADELE**  
 Power: 130/100/90W  
 Water tank capacity : 38L  
 Noise test:  $\leq 55\text{dB}$   
 Max airflow:  $1800\text{m}^3/\text{h}$   
 Fan speed: 1350/1250/1150 RPM  
 Effective area:  $55\text{m}^2$



# Desert Air Cooler



Model No.: **PROTON65/90**  
Power: 220W  
Water tank capacity : 65L/90L  
Noise test:  $\leq 75\text{dB}$   
Max airflow:  $6000\text{m}^3/\text{h}$   
Fan speed: RPM  
Effecttive area:  $80\text{m}^2$



Model No.: **PINNACLE65/90**  
Power: 220W  
Water tank capacity : 65L/90L  
Noise test:  $\leq 75\text{dB}$   
Max airflow:  $6000\text{m}^3/\text{h}$   
Fan speed: RPM  
Effecttive area:  $80\text{m}^2$



Model No.: **PINNACLE65+/90+**  
Power: 220W  
Water tank capacity : 65L/90L  
Noise test:  $\leq 75\text{dB}$   
Max airflow:  $6000\text{m}^3/\text{h}$   
Fan speed: RPM  
Effecttive area:  $80\text{m}^2$



## Outdoor Air Cooler



Model No.: **DOBLE**  
Power: 350W  
Water tank capacity : 30L  
Noise test:  $\leq 68\text{dB}$   
Max airflow:  $9000\text{m}^3/\text{h}$   
Fan speed: Low/Medium/High RPM  
Effecttive area:  $80\text{m}^2$



Model No.: **MERCURIO**  
Power: 180/155/140W  
Water tank capacity : 48L  
Noise test:  $\leq 65\text{dB}$   
Max airflow:  $2600\text{m}^2/\text{h}$   
Fan speed: 1350/1250/1150 RPM  
Effecttive area:  $80\text{m}^2$





Outdoor Air Cooler



Model No.: **HYDRA**  
 Power: 180/155/140W  
 Water tank capacity : 48L  
 Noise test:  $\leq 65\text{dB}$   
 Max airflow:  $2600\text{m}^2/\text{h}$   
 Fan speed: 1350/1250/1150 RPM  
 Effecttive area:  $80\text{m}^2$



Model No.: **HYDRA+**  
 Power: 180/155/140W  
 Water tank capacity : 48L  
 Noise test:  $\leq 65\text{dB}$   
 Max airflow:  $2600\text{m}^2/\text{h}$   
 Fan speed: 1350/1250/1150 RPM  
 Effecttive area:  $80\text{m}^2$



# 2020 Arrival





SPECIFICATIONS  
& FEATURES



Model No.:		Pico	Nano	Vento	Zippy	Elegante	Moda	Zesto	Astra	Perno	Blanco
For rooms up to m²		*	*	*	12	30	30	12	30	30	12
Engg. plastic(blower/fan)		*	*	*	Blower	Blower	Fan	Blower	Blower	Blower	Blower
Blower/fan diameter(mm)		*	*	*	*	*	12	*	*	*	*
Speed cotrol		3	3	3	3	3	3	3	3	3	3
Wattage		6W	2.5W	7W	55W	115W	68W	55W	132W	105W	50W
Tank capacity		600ml	750ml	550ml	12L	11L	6L	12L	11L	30L	7L
Remote control		x	x	x	√	√	√	√	√	√	√
Auto louver movement		x	x	x	x	x	x	x	x	x	x
Empty tank alarm		x	x	x	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cooling media		Felt	Felt	Felt	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimension (mm)	Length	165	170	190	386	380	260	386	380	365	290
	Breadth	165	170	160	280	290	370	280	333	340	320
	Height	170	170	153	730	900	670	730	728	950	690
Carton dimension (mm)	Length	200	820	600	432	428	308	432	423	405	355
	Breadth	200	412	460	325	338	418	325	363	390	326
	Height	220	262	395	780	940	715	780	765	940	670
Product net weight(kgs)		1.1	1.3	1	6	8.5	4.53	6	8.36	10.15	5.3
Product gross weight(kgs)		1.26	1.56	1.125	7.5	10.5	6	7.5	9.5	12	6.6
No. of units/40HQ container		6600	6800	7260	642	500	780	642	604	490	890



SPECIFICATIONS  
& FEATURES



Model No.:		Negro	Brisa	Brisa+	Trio	Trio+	Fuerte	Aura	Colina	Adele	Proton 90
For rooms up to m²		12	15	15	25	30	80	55	80	55	Outdoor
Engg. plastic(blower/fan)		Blower	Blower	Blower	Blower	Blower	Fan	Fan	Fan	Fan	Fan
Blower/fan diameter(mm)		*	*	*	*	*	400	350	400	350	400
Speed cotrol		3	3	3	3	3	3	3	3	3	3
Wattage		50W	90W	90W	90W	W	180W	130W	172W	130W	200W
Tank capacity		7L	8L	20L	18L	30L	48L	38L	48L	38L	90L
Remote control		√	x	x	√	√	x	x	x	x	x
Auto louver movement		x	x	x	x	x	x	x	x	x	x
Empty tank alarm		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimension (mm)	Length	290	280	280	335	335	686	620	680	620	671
	Breadth	320	260	260	340	340	464	360	455	360	432
	Height	690	640	780	840	940	1043	860	1050	875	1185
Carton dimension (mm)	Length	355	330	330	390	390	755	660	755	660	694
	Breadth	326	310	310	385	383	520	425	520	425	479
	Height	670	690	860	865	997	1125	905	1125	920	806
Product net weight(kgs)		5.3	5.7	5.7	7.5	8	18.5	12.8	17.05	12.8	20.22
Product gross weight(kgs)		6.6	6.9	6.9	9.5	10	22	15.5	19	15.5	22.22
No. of units/40HQ container		890	965	750	535	470	150	246	150	246	225



## SPECIFICATIONS & FEATURES



Model No.:		Proton 65	Pinnacle 90	Pinnacle 65	Pinnacle 90+	Pinnacle 65+	Doble	Mercurio	Hydra	Hydra+
For rooms up to m <sup>2</sup>		Outdoor	Outdoor	Outdoor	Outdoor	Outdoor	Outdoor	80	80	80
Engg. plastic(blower/fan)		Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan	Fan
Blower/fan diameter(mm)		400	400	400	400	400	400	400	400	400
Speed cotrol		3	3	3	3	3	3	3	3	3
Wattage		200W	200W	200W	200W	200W	350W	180W	180W	180W
Tank capacity		65L	90L	65L	90L	65L	30L	48L	48L	48L
Remote control		x	x	x	x	x	x	x	x	x
Auto louver movement		x	x	x	x	x	x	x	x	x
Empty tank alarm		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Cooling media		Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb	Honeycomb
Product dimension (mm)	Length	671	671	671	671	671	850	686	686	686
	Breadth	432	432	432	432	432	480	464	464	464
	Height	1072	1185	1072	1185	1072	1006	1043	1043	1043
Carton dimension (mm)	Length	694	694	694	694	694	920	755	755	755
	Breadth	479	479	479	479	479	560	520	520	520
	Height	806	806	806	806	806	1097	1125	1125	1125
Product net weight(kgs)		20.22	20.22	20.22	20.22	20.22	33	18.15	18.15	18.15
Product gross weight(kgs)		22.22	22.22	22.22	22.22	22.22	37	22	22	22
No. of units/40HQ container		225	225	225	225	225	120	150	150	150



**Air Coolers**

**Dace Air Coolers Limited**

Add: No.52 Tongxing West road, Dongsheng town,  
Zhongshan, Guangdong, China

Tel: +86-0760-28199009 Fax: +86-0760-28199049

E-mail: [sales@dacecoolers.com](mailto:sales@dacecoolers.com)

Web: [www.daceaircoolers.com](http://www.daceaircoolers.com)